



20

1711

3000



1995

GG-20, GG-25

| « »

DIN.



1000

(25... 25)

1500

40

(6 , 6) .
(6 , 10 , 9)



DIN1681.

25 () ;

5 3.15

) 250 ;

10

()

3, 20, 45;
09 2 , 10 ;
40 , 30 , 20 3 , 1 , 3 , 07 3 ;
95 18,12 18 10 , 14 17 2,20 13

: 6, 14, 22, 4-1;

: 6, 6-1, -4;

: 2-1

()



2000 6000 :
120
150
80
Al Mg ;
Al, Ti, 0,5
4 ; Al ;
Al



(20 4),



)

(

90%

(

"ANCA")

"AGIE"

d 0,2?8 ;D 2 ' 200 ;' 600 ..
 d 10?32 ;D 80 ' 350 ;' 700 ..
 - =0,25?5 ,, 10 150

WMM850", -2.
 « ».

"OPTON
 :





1. 30-G "MILLTURN" 250
7/h7
Ra=0,8
2. CWK 400 "Starrag Heckert" 400 400 500
7/h7
Ra=0,8
3. CWK 630 "Starrag Heckert" 630 800 750
7/h7
Ra=0,8
4. DUS 400 () 320
7/h7
Ra=0,8
5. DUS 560 () 560
7/h7
Ra=0,8
6. -13 () 2200
 $\pm 0,1$
Ra=3,2
7. "SCHAUBLIN" (« ») 100CNC, 125CCN, 225 , 180CCN
8. « » . FT SERIES 70/600 x 9000
1200
9000
9. 52 152 « » . HD/3 650 x 11.000 SERIES 120 LS

